

A 5x4 grid of squares. The top row is white, the second row is light blue, the third row is medium blue, the fourth row is dark blue, and the bottom row is the darkest blue. The text 'SPOT DOWNLIGHT' is written in white, bold, italicized capital letters across the bottom row.



***SPOT DOWNLIGHT***



## CLEAR GLASS

120.-

DIA 49 mm. H 3 mm.



 Clear glass  
 For MR16 lamp




## FROSTED GLASS

120.-

DIA 49 mm. H 3 mm.



 Frosted glass  
 For MR16 lamp



## HONEYCOMB

120.-

DIA 50 mm. H 3 mm.

 Aluminium material  
 For MR16 lamp

ACCESSORIES



## MR11 MODULE 6W

800.-

2700K, 3000K, 4000K



**CREE CHIP LED 6W 480lm**



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## MR11 MODULE 10W

1000.-

2700K, 3000K, 4000K



**CREE CHIP LED 10W 770lm**



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



## MR11 MODULE 15W

1500.-

2700K, 3000K, 4000K



**CREE CHIP LED 15W 1350lm**



Aluminium Body

LED Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

LED LAMP



## MR16 MODULE 10W 1000.-

2700K, 3000K, 4000K, 6000K



**CREE CHIP LED 10W 800lm**

15° 24° 36° 60°



Aluminium Body  
LED Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## MR16 MODULE 15W 1500.-

2700K, 3000K, 4000K, 6000K



**CREE CHIP LED 15W 1200lm**

15° 24° 36° 60°



Aluminium Body  
LED Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



## MR16 MODULE 20W 2000.-

3000K, 4000K, 6000K



**CREE CHIP LED 20W 1600lm**

12° 24° 36°



Aluminium Body  
LED Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



LED LAMP



## MR16 MODULE 8W CCT 1500.-

2700K to 6500K



**LED CHIP LED 24Vdc 8W**

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply

## MR16 MODULE 8W RGBW 1500.-

RGB+2700K



**LED CHIP LED 24Vdc 8W**

38°



Aluminium Body

Dimmable

Use with LED controller

Use with 24Vdc power supply



## LED MR16 7W

400.-

2700K, 3000K, 4000K, 6000K



**EPISTAR CHIP LED 7W 560lm**

15° 60°

- Aluminium Body
- Non-Dim
- Dimmable ( Optional )



## LED GU10 7W

400.-

2700K, 3000K, 4000K, 6000K



**EPISTAR CHIP LED 7W 560lm**

15° 24° 60°

- Aluminium Body
- Non-Dim
- Dimmable ( Optional )



## AR111 MODULE 15W 1500.-

3000K, 4000K, 6000K.



**CREE CHIP LED 15W 1200lm**

24°

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## AR111 MODULE 30W 2250.-

3000K, 4000K, 6000K



**CREE CHIP LED 30W 2700lm**

24°

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED LAMP

## LED PAR30L 15W

700.-

3000K, 4000K, 6000K



SMD CHIP LED 15W 1350lm

25°



Non-Dim



## LED PAR30L 30W

1000.-

3000K, 4000K, 6000K



SMD CHIP LED 30W 2700lm

25°



Non-Dim



DOWNLIGHT








## LUNA-RA MR11

300.-

DIA 50 mm. H 45 mm.

 LED Module MR11  
 Matt white trim



**IP 20**

 Adjustable  
Matt white reflector


## LUNA-RE

300.-

DIA 50 mm. H 45 mm.

 LED Module MR11  
 Matt black trim

**IP 20**

 Adjustable  
Matt black reflector





DOWNLIGHT




## BENN-RA MR11

300.-

DIA 65 mm. H 45 mm.

 LED Module MR11  
 Matt white trim



IP 20

 Adjustable  
Matt white reflector


## BENN-SA

300.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11  
 Matt white trim

IP 20

 Adjustable  
Matt white reflector








### ALIS-RW MR11

350.-

DIA 65 mm. H 28 mm.

 LED Module MR11  
 Matt white trim



**IP 20**

 Adjustable  
Matt black reflector


### ALIS-RB MR11


350.-

DIA 65 mm. H 28 mm.

 LED Module MR11  
 Matt black trim

**IP 20**

 Adjustable  
Matt black reflector




DOWNLIGHT




## JUNI-WH MR11

300.-

DIA 65 mm. H 35 mm.

 LED Module MR11  
Matt white trim


**IP 20**

 Fixed  
Matt black reflector


## JUNI-BK MR11


300.-

DIA 65 mm. H 35 mm.

 LED Module MR11  
Matt black trim

**IP 20**

 Fixed  
Matt black reflector




DOWNLIGHT




## ALIS-SW1 MR11

350.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11  
Matt white trim


**IP 20**

 Adjustable  
Matt black reflector


## ALIS-SW2 MR11

500.-

DIA 65x121 mm. H 45 mm.

 LED Module MR11  
Matt white trim

**IP 20**

 Adjustable  
Matt black reflector





DOWNLIGHT




## ALIS-SB1 MR11

350.-

DIA 65x65 mm. H 45 mm.

 LED Module MR11  
 Matt black trim



**IP 20**

 Adjustable  
Matt black reflector


## ALIS-SB2 MR11

500.-

DIA 65x121 mm. H 45 mm.

 LED Module MR11  
 Matt black trim

**IP 20**

 Adjustable  
Matt black reflector



DOWNLIGHT



## RIT-A

400.-

DIA 100 mm. H 56.5 mm.

MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass  
Clear glass

## RIT-B

400.-

DIA 92x92 mm. H 56.5 mm.

MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass  
Clear glass



## RIT-2B

800.-

DIA 92x185 mm. H 56.5 mm.

MR16x2/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20

- Fully adjustable
- Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## HYBRID-RS

400.-

DIA 78 mm. H 75 mm.

MR16x1/ GU10  
Sand white trim

IP 20

- Fully adjustable
- Black reflector (anti glare)
- Accessories : Honeycomb, Frosted glass
- Clear glass

## HYBRID-RM



600.-

DIA 95 mm. H 108 mm.

MR16x1/ GU10  
Sand white trim

IP 20

- Fully adjustable
- Black reflector (anti glare)
- Accessories : Honeycomb, Frosted glass
- Clear glass



## HYBRID-SM


600.-

DIA 95x95 mm. H 108 mm.

MR16x1/ GU10  
Sand white trim


IP 20

- Fully adjustable
- Black reflector (anti glare)
- Accessories : Honeycomb, Frosted glass
- Clear glass



DOWNLIGHT



**EZY-RA****390.-**

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

**IP 20**

- Adjustable  
Matt white reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass


**EZY-RB****390.-**

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

**IP 20**

- Adjustable  
Matt silver reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass


**EZY-RC****390.-**

DIA 80 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

**IP 20**

- Adjustable  
Shiny reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass





## EZY-RD

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass



## EZY-RE

390.-


DIA 80 mm. H 50 mm.



MR16x1/ GU10/ LED Module  
Matt black trim

IP 20

- Adjustable
- Matt black reflector
- Accessories : Honeycomb, Frosted glass
- Clear glass








## EZY-SA

390.-

DIA 82x82 mm. H 50 mm.

 MR16x1/ GU10/ LED Module  
 Matt white trim



**IP 20**

-  Fixed  
Matt white reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass


## EZY-SB

390.-

DIA 82x82 mm. H 50 mm.

 MR16x1/ GU10/ LED Module  
 Matt white trim

**IP 20**

-  Fixed  
Matt silver reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



## EZY-SC

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Fixed  
Shiny reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

## EZY-SD

390.-

DIA 82x82 mm. H 50 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Fixed  
Matt black reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass





## JANEN-A

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Matt white reflector

Accessories : Honeycomb, Frosted glass  
Clear glass



## JANEN-B

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Black mirror reflector

Accessories : Honeycomb, Frosted glass  
Clear glass





## JANEN-C

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Mirror reflector

Accessories : Honeycomb, Frosted glass  
Clear glass



## JANEN-D

500.-

DIA 85 mm. H 64 mm.




MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Matt black reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass





DOWNLIGHT




## PELE-R

500.-

DIA 85 mm. H 30 mm.

 MR16x1/ GU10/ LED Module  
 Matt white/ Matt black trim



**IP 20**

 Fully adjustable


## PELE-S1

1000.-

DIA 85x85 mm. H 30 mm.

 MR16x1/ GU10/ LED Module  
 Matt white/ Matt black trim

**IP 20**



 Fully adjustable




## PELE-S2

1000.-

DIA 85x85 mm. H 30 mm.

 MR16x1/ GU10/ LED Module  
 Matt white/ Matt black trim


**IP 20**

 Fully adjustable



DOWNLIGHT

DOWNLIGHT



110

## ECON-A

350.-

DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

Fixed  
Matt white reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

50

## ECON-B


350.-

DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

Fixed  
Matt silver reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



110



50

## ECON-C

350.-


DIA 110 mm. H 50 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

Fixed  
Shiny reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

50



110





## NAMI-A


900.-

DIA 84 mm. H 118 mm.

MR16x1  
Sand white trim

IP 20

Adjustable  
Matt silver reflector



## NAMI-B


900.-

DIA 84 mm. H 117 mm.

MR16x1  
Sand white trim

IP 20

Fixed  
Matt silver reflector



## SELENA-A


950.-

DIA 115 mm. H 143 mm.

MR16x1  
Sand white trim

IP 20

Adjustable  
Shiny reflector



## SELENA-B


950.-

DIA 115 mm. H 130 mm.

MR16x1  
Sand white trim

IP 20

Fixed  
Shiny reflector








## PLAST-R

300.-

DIA 80 mm. H 42 mm.

 MR16x1/ GU10/ LED Module  
 Sand white trim



**IP 20**

-  Fixed
- Accessories : Honeycomb, Frosted glass  
Clear glass


## PLAST-S1

300.-

DIA 76x76 mm. H 42 mm.

 MR16x1/ GU10/ LED Module  
 Sand white trim

**IP 20**



-  Fixed
- Accessories : Honeycomb, Frosted glass  
Clear glass




## PLAST-S2

600.-

DIA 76x159 mm. H 42 mm.

 MR16x2/ GU10/ LED Module  
 Sand white trim

**IP 20**

-  Fixed
- Accessories : Honeycomb, Frosted glass  
Clear glass





DOWNLIGHT




## PINN-A

390.-

DIA 90 mm. H 55 mm.

 MR16x1/ GU10/ LED Module  
 Matt white trim



**IP 20**

 Adjustable  
Accessories : Honeycomb


## PINN-B

390.-

DIA 90 mm. H 55 mm.

 MR16x1/ GU10/ LED Module  
 Matt white trim

**IP 20**

 Fixed  
Accessories : Honeycomb



DOWNLIGHT

## NOVA-A


600.-

DIA 90 mm. H 73 mm.

MR16x1/ GU10  
Sand white trim

IP 20

- Adjustable
- Accessories : Honeycomb, Frosted glass  
Clear glass



## NOVA-B


600.-

DIA 90 mm. H 73 mm.

MR16x1/ GU10  
Sand white trim

IP 20

- Fixed
- Accessories : Honeycomb, Frosted glass  
Clear glass




DOWNLIGHT




## CETRA-R

350.-

DIA 93 mm. H 41 mm.

 MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim


**IP 20**

-  Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass


## CETRA-S

350.-

DIA 90x90 mm. H 41 mm.

 MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim

**IP 20**

-  Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## MOBI-R

450.-

DIA 90 mm. H 60 mm.



MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass

## MOBI-S1

450.-

DIA 90x90 mm. H 60 mm.



MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## MOBI-S2

900.-

DIA 90x172 mm. H 60 mm.



MR16x2/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass

## ELLIP-R2

900.-

DIA 91.5x172.5 mm. H 53 mm.



MR16x2/ GU10/ LED Module  
Sand white/ Sand black trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass








## AXE-S1

700.-

DIA 125x125 mm. H 150 mm.

 MR16x1  
Sand white/ Sand black trim

**IP 20**

 Adjustable

## AXE-S2

1350.-

DIA 125x220 mm. H 150 mm.

 MR16x2  
Sand white/ Sand black trim

**IP 20**

 Adjustable



DOWNLIGHT



## CIVIK-1

500.-

DIA 105x105 mm. H 55 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Hood

## CIVIK-2

750.-

DIA 105x185 mm. H 55 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Hood







## LUCENT

600.-

DIA 85 mm. H 45 mm.

 MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim


**IP 65**

-  Fixed
- Clear glass cover


## MIST-R

450.-

DIA 85 mm. H 50 mm.

 MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

**IP 44**

-  Fixed
- Frosted glass cover




DOWNLIGHT




## HYDRA-R

600.-

DIA 90 mm. H 100 mm.

 MR16x1  
Sand white trim


**IP 44**

 Fixed  
Frosted glass cover

## HYDRA-S

600.-

DIA 90x90 mm. H 88 mm.

 MR16x1  
Sand white trim

**IP 44**

 Fixed  
Frosted glass cover





DOWNLIGHT




## FOGG-WH

500.-

DIA 85 mm. H 45 mm.

 MR16x1/ GU10/ LED Module  
 Matt white trim



**IP 44**

-  Fixed
- Frosted glass cover

## FOGG-BK


500.-

DIA 85 mm. H 45 mm.

 MR16x1/ GU10/ LED Module  
 Matt black trim

**IP 44**

-  Fixed
- Frosted glass cover



DOWNLIGHT



## ATOM-RWW

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass

## ATOM-SWW

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass





## ATOM-RWB

450.-

DIA 102 mm. H 30 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass

## ATOM-SWB

450.-

DIA 102x102 mm. H 30 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## ROTA-R

350.-

DIA 95 mm. H 35 mm.

MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim

IP 20

Adjustable  
Accessories : Honeycomb, Hood

## ROTA-S1

400.-

DIA 112x112 mm. H 38 mm.

MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim

IP 20

Adjustable  
Accessories : Honeycomb, Hood



## ROTA-S2

700.-

DIA 112x210 mm. H 38 mm.

MR16x1/ GU10/ LED Module  
Matt white/ Matt black trim


IP 20

Adjustable  
Accessories : Honeycomb, Hood



## TRIM-S1 MR16

800.-



DIA 108x108 mm. H 87.5 mm.



MR16x1/ LED Module  
Sand white/ Sand black trim  
Sand black ring



Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass.

## TRIM-S2 MR16

1450.-


DIA 108x200 mm. H 87.5 mm.



MR16x2/ LED Module  
Sand white/ Sand black trim  
Sand black ring



Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass.



## TRIM-S3 MR16

1950.-


DIA 108x288 mm. H 87.5 mm.



MR16x3/ LED Module  
Sand white/ Sand black trim  
Sand black ring



Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass.





## TRIMLESS-S1


950.-

DIA 95x95 mm. H 85 mm.

MR16x1/ LED Module  
Sand white/ Sand black

IP 20

Trimless style  
Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



## TRIMLESS-S2


1650.-

DIA 95x185 mm. H 85 mm.

MR16x2/ LED Module  
Sand white/ Sand black

IP 20

Trimless style  
Fully adjustable  
Accessories : Honeycomb  
Clear glass



## TRIMLESS-S3


2250.-

DIA 95x275 mm. H 85 mm.

MR16x3/ LED Module  
Sand white/ Sand black trim

IP 20

Trimless style  
Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## DEPT-R


600.-

DIA 90 mm. H 85 mm.

MR16x1/ GU10/ LED Module  
Sand white trim

IP 20

- Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



## DEPT-S


600.-

DIA 90x90 mm. H 85 mm.

MR16x1/ GU10/ LED Module  
Sand white trim

IP 20

- Fully adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT



## TOMI-A


600.-

DIA 88 mm. H 110 mm.

MR16x1  
Sand white trim

IP 20

Adjustable  
Matt white reflector



## TOMI-B


600.-

DIA 88 mm. H 110 mm.

MR16x1  
Sand white trim

IP 20

Adjustable  
Matt silver reflector





DOWNLIGHT




## TOMI-C


600.-

DIA 88 mm. H 110 mm.

 MR16x1  
 Sand white trim

**IP 44**



 Adjustable  
Frosted glass cover




## TOMI-D


600.-

DIA 88 mm. H 110 mm.

 MR16x1  
 Sand white trim

**IP 20**

 Adjustable  
Matt black reflector



DOWNLIGHT



## WINK-A


600.-

DIA 107 mm. H 103 mm.

MR16x1  
Matt white trim

IP 20

Adjustable  
Shiny reflector



## WINK-B


600.-

DIA 107 mm. H 103 mm.

MR16x1  
Matt white trim

IP 20

Fixed  
Shiny reflector





**DENN**

**500.-**

DIA 90 mm. H 59 mm.

MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

**IP 20**

- Adjustable
- Accessories : Honeycomb, Frosted glass  
Clear glass

**PULLER**


**1000.-**

DIA 100 mm. H 100 mm.

GU10x1  
Sand white/ Sand black

**IP 20**

- Fully adjustable





## NURA-A

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

**IP 20**



Adjustable

Matt white reflector

Accessories : Honeycomb, Frosted glass

Clear glass

## NURA-B

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

**IP 20**



Adjustable

Matt black reflector

Accessories : Honeycomb, Frosted glass

Clear glass



DOWNLIGHT





## NURA-C

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Mirror reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

## NURA-D

1200.-

DIA 104×194 mm. H 72 mm.



MR16x1/ GU10/ LED Module  
Matt white trim

IP 20



Adjustable  
Accessories : Honeycomb, Frosted glass  
Clear glass





## MANA-S1A

500.-

DIA 89×89 mm. H 72 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Matt white reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

## MANA-S1B

500.-

DIA 89×89 mm. H 72mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Matt black reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



## MANA-S1C

500.-

DIA 89×89 mm. H 72 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Mirror reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT

DOWNLIGHT



## MANA-S2A

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Matt white reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass

## MANA-S2B

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Matt black reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



## MANA-S2C

1000.-

DIA 89×164 mm. H 72 mm.

MR16x1/ GU10/ LED Module  
Matt white trim

IP 20

- Adjustable  
Mirror reflector  
Accessories : Honeycomb, Frosted glass  
Clear glass



DOWNLIGHT

DOWNLIGHT



## SNOW-R

750.-

DIA 180 mm. H 28 mm.

AR111x1  
Sand white trim

IP 20

Adjustable

## SNOW-S1

750.-

DIA 180x180 mm. H 28 mm.

AR111x1  
Sand white trim

IP 20

Adjustable



## SNOW-S2

1500.-

DIA 180x356 mm. H 28 mm.

AR111x2  
Sand white trim

IP 20



Adjustable




## SNOOT-PR1

1000.-

DIA 180x180 mm. H 200 mm.

 PAR30S/ PAR30Lx1  
 Sand white trim



**IP 20**

 Adjustable


## SNOOT-PR2

2000.-

DIA 180x347 mm. H 200 mm.

 PAR30S/ PAR30Lx2  
 Sand white trim

**IP 20**

 Adjustable



DOWNLIGHT



### TRIM-XR

950.-

DIA 170 mm. H 70 mm.

MR16x1/ GU10  
Sand white trim

IP 20

Adjustable

### TRIM-L1

1000.-

DIA 173x173 mm. H 115 mm.

AR111x1  
Matt white trim

IP 20

Fully adjustable



### TRIM-L2

1850.-

DIA 173x320 mm. H 115 mm.

AR111x2  
Matt white trim

IP 20

Fully adjustable



DOWNLIGHT



## SAKURA-R

1000.-

DIA 170 mm. H 53 mm.

AR111x1  
Sand white trim

IP 20

Fully adjustable

## SAKURA-S1

1000.-

DIA 170x170 mm. H 53 mm.

AR111x1  
Sand white trim

IP 20

Fully adjustable



## SAKURA-S2

2000.-

DIA 170x325 mm. H 50 mm.

AR111x2  
Sand white trim

IP 20

Fully adjustable



DOWNLIGHT



## VICTOR

600.-

DIA 153 mm. H 57 mm.

 AR111x1  
 Matt white trim


**IP 20**

 Fixed

## FOCAL

500.-

DIA 68 mm. H 55 mm.

 MR16x1/ GU10/ LED Module  
Sand white/ Sand black trim

**IP 20**

 Fixed



DOWNLIGHT





## SNOOT-R

600.-

DIA 175 mm. H 120-150 mm.

PAR30S/ PAR30Lx1  
Matt white trim

IP 20

Fully adjustable

## LUXX-PAR30

650.-

DIA 135 mm. H 140-180 mm.

PAR30S/ PAR30Lx1  
Sand white/ Sand black trim

IP 20

Fixed



## HEX-PAR30

650.-

DIA 125x125 mm. H 140-180 mm.

PAR30S/ PAR30Lx1  
Sand white/ Sand black trim

IP 20



Fixed

DOWNLIGHT



## HEX-S2-WH PAR30 1300.-

DIA 125×225 mm. H 140-180 mm.


 PAR30S/ PAR30Lx1  
 Sand white

**IP 20**

 Fixed

## HEX-S2-BK PAR30 1300.-

DIA 125×225 mm. H 140-180 mm.

 PAR30S/ PAR30Lx1  
 Sand black trim

**IP 20**

 Fixed



DOWNLIGHT

A 5x4 grid of squares with a blue-to-white gradient. The top row is the lightest blue, and the bottom row is the darkest blue. The text 'LED DOWNLIGHT' is written in white, bold, italicized capital letters at the bottom of the grid.

***LED DOWNLIGHT***



## TESLA-RM 18W

1000.-

DIA 150 mm. H 50 mm.



**LED SMD 18W 1710lm**

120° 3000K, 4000K  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## TESLA-SM 18W

1000.-

DIA 145x145 mm. H 50 mm.



**LED SMD 18W 1710lm**

120° 3000K, 4000K  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## TESLA-RL 24W

1200.-

DIA 170 mm. H 50 mm.



**LED SMD 24W 2400lm**

120° 3000K, 4000K  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## TESLA-SL 24W

1200.-

DIA 165x165 mm. H 50 mm.



**LED SMD 24W 2400lm**

120° 3000K, 4000K  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## POTTER-S 9W

800.-

DIA 115 mm. H 80 mm.



**LED SMD 9W 582lm**

3000K, 4000K  
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## POTTER-M 15W

1200.-

DIA 140 mm. H 85 mm.



**LED SMD 15W 955lm**

3000K, 4000K  
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## POTTER-L 21W

1500.-

DIA 165 mm. H 100 mm.



**LED SMD 21W 1440lm**

3000K, 4000K  
Matt white trim

IP 20

- Aluminium Body
- LED Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



## MATT-M 15W

2000.-

DIA 159x159 mm. H 65 mm.



**LED SMD 15W 1170lm**

120° 3000K,  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## MATT-L 25W

3350.-

DIA 195x195 mm. H 75 mm.



**LED SMD 25W 1950lm**

120° 3000K, 4000K  
Matt white trim

**IP 20**

- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## EMIT-RM 15W

1500.-

DIA 115 mm. H 120 mm.



**CREE CHIP LED 15W 1310lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## EMIT-S1 15W

1500.-

DIA 115x115 mm. H 120 mm.



**CREE CHIP LED 15W 1310lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## EMIT-S2 2x15W

3000.-

DIA 115x210 mm. H 120 mm.



**CREE CHIP LED 2x15W 2610lm**



3000K, 4000K  
Matt white trim


**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT







## LUCAS-RS 7W

1200.-

DIA 82 mm. H 92 mm.



**CREE CHIP LED 7W 577lm**



3000K, 4000K  
Matt white trim

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## LUCAS-RM 12W

1650.-

DIA 108 mm. H 130 mm.



**CREE CHIP LED 12W 920lm**




3000K, 4000K  
Matt white trim

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



## LUCAS-RL 18W

2500.-

DIA 133 mm. H 160 mm.



**CREE CHIP LED 18W 1393lm**



3000K, 4000K  
Matt white trim

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional





## LUCAS-SS 7W

1200.-

DIA 90x90 mm. H 94.5 mm.




**CREE CHIP LED 7W 577lm**



3000K, 4000K  
Matt white trim

**IP 20**



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## LUCAS-SM 12W

1650.-

DIA 115x115 mm. H 115 mm.



**CREE CHIP LED 12W 920lm**




3000K, 4000K  
Matt white trim

**IP 20**



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## LUCAS-SL 18W

2500.-

DIA 140x140 mm. H 152 mm.




**CREE CHIP LED 18W 1430lm**



3000K, 4000K  
Matt white trim

**IP 20**



- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## MARA-RM 12W

2000.-

DIA 115 mm. H 115 mm.




**CREE CHIP LED 12W 920lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## MARA-RL 18W

3000.-

DIA 153 mm. H 150 mm.




**CREE CHIP LED 18W 1403lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## MARA-SM 12W

2000.-

DIA 114x114 mm. H 114 mm.




**CREE CHIP LED 12W 920lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## MARA-SL 18W

3000.-

DIA 154.5x154.5 mm. H 150 mm.




**CREE CHIP LED 18W 1403lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## AURA-S 8W

1200.-

DIA 72 mm. H 76 mm.



**LED COB 8W 685lm**

15° 24° 38°

3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## AURA-M 15W

1650.-

DIA 88 mm. H 88 mm.



**LED COB 15W 1312lm**

15° 24° 38°

3000K, 4000K  
Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Dark mirror reflector
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## BETAGA-M

1350.-

DIA 45x147 mm. H 49 mm.



**LED COB 5x2W 890lm**

3000K, 4000K  
Matt white trim



Fixed  
Recessed type  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## BETAGA-L

2500.-

DIA 45x280 mm. H 49 mm.



**LED COB 10x2W 1780lm**

3000K, 4000K  
Matt white trim



Fixed  
Recessed type  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



## BETAGA-XL

3600.-

DIA 45x415 mm. H 49 mm.



**LED COB 15x2W 2670lm**

3000K, 4000K  
Matt white trim



Fixed  
Recessed type  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



## TRIM-S1 LED 10W

1800.-

DIA 108x108 mm. H 87.5 mm.



**CREE CHIP LED 10W 830lm**

15° 24° 36° 60°

3000K, 4000K, 6000K  
Sand white trim



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

**IP 20**

## TRIM-S2 LED 2x10W

3500.-

DIA 108x200 mm. H 87.5 mm.



**CREE CHIP LED 2x10W 1660lm**

15° 24° 36° 60°

3000K, 4000K, 6000K  
Sand white trim



Adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

**IP 20**



LED DOWNLIGHT



## TRIM-M1 LED 18W

3000.-

DIA 135x135 mm. H 110 mm.



**CREE CHIP LED 18W 1312lm**



3000K, 4000K  
Sand white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## TRIM-M2 LED 2x18W

5000.-

DIA 135x267 mm. H 110 mm.



**CREE CHIP LED 2x18W 2691lm**



3000K, 4000K  
Sand white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT





## LUZE-M 15W

2000.-

DIA 110 mm. H 100 mm.



**PHILIPS CHIP LED 15W 1219lm**



3000K, 4000K  
Matt white trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**

## LUZE-L 20W

2500.-

DIA 140 mm. H 147 mm.



**PHILIPS CHIP LED 20W 1626lm**



3000K, 4000K  
Matt white trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**





## NEWTON-S 9W

950.-

DIA 85 mm. H 53 mm.



**LED COB 9W 810lm**



3000K, 4000K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## NEWTON-M 18W

1750.-

DIA 110 mm. H 75 mm.



**LED COB 18W 1600lm**



3000K, 4000K, 6500K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## NEWTON-L 30W

3150.-

DIA 150 mm. H 100 mm.



**LED COB 30W 2700lm**



3000K, 4000K, 6500K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



## WALLY-S 12W

1500.-

DIA 108 mm. H 100 mm.



**LED COB 12W 1026lm**

3000K, 4000K

Matt white trim

**IP 20**



Fixed

Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## WALLY-M 20W

2000.-

DIA 108 mm. H 100 mm.



**LED COB 20W 1710lm**

3000K, 4000K

Matt white trim

**IP 20**



Fixed

Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional





## PITT-S 12W

1500.-

DIA 85 mm. H 73 mm.



**LED COB 12W 1026lm**

3000K, 4000K

Matt white trim

**IP 20**



Fixed

Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## PITT-M 20W

2000.-

DIA 105 mm. H 97 mm.



**LED COB 20W 1710lm**

3000K, 4000K

Matt white trim

**IP 20**



Fixed


Wall washer downlight

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional





## HEXTA-S 10W

1000.-

DIA 93 mm. H 65 mm.



**LED COB 10W 855lm**  
3000K, 4000K  
Matt white trim

IP 20

- 15D-60D Baem angle adjustable  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional

## HEXTA-M 20W

1500.-

DIA 115 mm. H 95 mm.



**LED COB 20W 1710lm**  
3000K, 4000K  
Matt white trim

IP 20

- 15D-60D Baem angle adjustable  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



## HEXTA-L 30W

2000.-

DIA 130 mm. H 120 mm.



**LED COB 30W 2400lm**  
3000K, 4000K  
Matt white trim

IP 20

- 15D-60D Baem angle adjustable  
Fully adjustable  
Aluminium Body  
Driver included  
Non-Dim  
Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



## NEPTA-S 10W

1000.-

DIA 92 mm. H 75 mm.



**LED COB 10W 855lm**  
3000K, 4000K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## NEPTA-M 20W

1500.-

DIA 135 mm. H 115 mm.



**LED COB 20W 1710lm**  
3000K, 4000K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## NEPTA-L 30W

2000.-

DIA 135 mm. H 115 mm.



**LED COB 30W 2400lm**  
3000K, 4000K  
Matt white trim

**IP 20**

- Fully adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## JOOX-A 3W

750.-

DIA 50 mm. H 30 mm.



**CREE CHIP LED 3W 265lm**



3000K, 4000K

Matt white trim

**IP 20**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## JOOX-B 3W

750.-

DIA 40 mm. H 28 mm.



**CREE CHIP LED 3W 265lm**



3000K, 4000K

Matt white trim

**IP 20**

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional





## CONIX 5W

750.-

DIA 50 mm. H 50 mm.



**CREE CHIP LED 5W 405lm**



3000K, 4000K

Matt white/ Matt black trim

**IP 20**



Adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## BETA 6W

1000.-

DIA 58 mm. H 60 mm.



**CREE CHIP LED 6W 495lm**



3000K, 4000K

Matt white trim

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional







## NANO-R 10W

2150.-

DIA 90 mm. H 77 mm.



**CREE CHIP LED 10W 843lm**



3000K, 4000K  
Matt white trim

**IP 65**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## NANO-S 10W

2150.-

DIA 90x90 mm. H 77 mm.



**CREE CHIP LED 10W 843lm**



3000K, 4000K  
Matt white trim

**IP 65**

- Adjustable
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



## TITAN 10W

2150.-

DIA 90 mm. H 92 mm.



**LED COB 10W 755lm**



3000K, 4000K  
Matt white/ Matt black trim

**IP 65**

- Fixed
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

LED DOWNLIGHT



## MINI 3W

750.-

DIA 52 mm. H 25 mm.



**CREE CHIP LED 3W 260lm**



3000K, 4000K, 6000K

Matt white/ Matt black/ Silver



Adjustable  
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**

## MINI-D 3W

1000.-

DIA 52 mm. H 35 mm.



**LED COB 3W 260lm**



3000K, 4000K

Sand white/ Sand black trim




Adjustable  
Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**





## DOSS 1.5W

600.-

DIA 35 mm. H 22 mm.



**LED COB 1.5W 140lm**



3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**

## RIZ 3W

750.-

DIA 40 mm. H 50 mm.



**CREE CHIP LED 3W 260lm**



3000K, 4000K

Matt white, Matt black trim



Fixed

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**



## FOCUS 3W

850.-

DIA 48 mm. H 37 mm.



**CREE CHIP LED 3W 260lm**



3000K, 6000K

Matt white, Matt black trim



Fully adjustable

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

**IP 20**

LED DOWNLIGHT



## BELETTA-M

2500.-

DIA 42x278 mm. H 50 mm.



**LED SMD 10W 890lm**

3000K, 4000K  
Matt white trim



**IP 20**

- Fixed
- Recessed type
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional

## BELETTA-L

3500.-

DIA 42x545 mm. H 50 mm.



**LED SMD 20W 1780lm**

3000K, 4000K  
Matt white trim



**IP 20**

- Fixed
- Recessed type
- Aluminium Body
- Driver included
- Non-Dim
- Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



## BEBETO-M

2500.-

DIA 50x273 mm. H 42 mm.



**LED SMD 10W 890lm**

3000K, 4000K  
Matt black

**IP 20**



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## BEBETO-L

3500.-

DIA 50x540 mm. H 42 mm.



**LED SMD 20W 1780lm**

3000K, 4000K  
Matt black

**IP 20**



Fixed

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT



## BELINA-M

2500.-

DIA 50x273 mm. H 42 mm.



**LED COB 10W 890lm**



3000K, 4000K  
Matt black

**IP 20**



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional

## BELINA-L

3500.-

DIA 50x540 mm. H 42 mm.



**LED COB 20W 1780lm**



3000K, 4000K  
Matt black

**IP 20**



Fixed

Recessed type

Trimless design

Aluminium Body

Driver included

Non-Dim

Dimmable (0-10V/ Triac) Optional



LED DOWNLIGHT

## NORI

1500.-

DIA 85 mm. H 70 mm.



**LED COB 10W 890lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Adjustable

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



## REEL

2400.-

DIA 115 mm. H 135 mm.



**LED COB 20W 1890lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



## JAZZ

800.-

DIA 70 mm. H 55 mm.



**LED COB 7W 550lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



## MOON

1000.-

DIA 140 mm. H 75 mm.



**LED SMD 15W 1312lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT



## BETINI-M

1500.-

DIA 33x60 mm. L 270 mm.



**LED COB 10x1W 890lm**



3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim



## BETINI-L

2500.-

DIA 33x60 mm. L 535 mm.



**LED COB 20x1W 1780lm**



3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT



## ADEN-S

2000.-

DIA 37x135 mm. H 60 mm.



**LED COB 5x2W 800lm**

3000K, 4000K  
Matt black

**IP 20**



- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim

## ADEN-M

3000.-

DIA 37x270 mm. H 60 mm.



**LED COB 10x2W 1600lm**

3000K, 4000K  
Matt black

**IP 20**

- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim



## ADEN-L

4000.-

DIA 37x405 mm. H 60 mm.



**LED COB 15x2W 2400lm**

3000K, 4000K  
Matt black

**IP 20**



- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim



LED DOWNLIGHT

## BENITO-M

1500.-

DIA 33x60 mm. L 270 mm.



**LED SMD 10W 890lm**

3000K, 4000K

Matt white/ matt black

**IP 20**




Fixed

Aluminium Body

Driver included

Non-Dim



## BENITO-L

2500.-

DIA 33x60 mm. L 535 mm.



**LED SMD 20W 1780lm**

3000K, 4000K

Matt white/ matt black

**IP 20**




Fixed

Aluminium Body

Driver included

Non-Dim



LED DOWNLIGHT

***DOWNLIGHT E27***



## SNOOT-E1

700.-

DIA 130x130 mm. H 150 mm.



E27x1  
Sand white trim/ Black ring

IP 20



Adjustable  
Matt silver reflector

## SNOOT-E2

1300.-

DIA 130x250 mm. H 150 mm.



E27x2  
Sand white trim/ Black ring

IP 20



Adjustable  
Matt silver reflector



DOWNLIGHT

## SNOOT-S1

800.-

DIA 145x145 mm. H 150 mm.



E27x1



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector



## SNOOT-S2

1500.-

DIA 145x275 mm. H 150m mm.



E27x2



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector



DOWNLIGHT



## SNOOT-L1

1000.-

DIA 170x170 mm. H 200 mm.



E27x1



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector

## SNOOT-L2

1950.-

DIA 170x325 mm. H 200mm.



E27x2



Sand white trim/ Black ring

IP 20



Fully adjustable

Matt silver reflector



DOWNLIGHT



## HEX-SWW

550.-

DIA 125x125 mm. H 170 mm.

 E27x1  
 Sand white trim/ White inside

**IP 20**

 Fixed  
Matt silver reflector


## HEX-SWB

600.-

DIA 125x125 mm. H 170 mm.

 E27x1  
 Sand white trim/ Black inside

**IP 20**



 Fixed  
Matt silver reflector



## HEX-SBB

550.-

DIA 125x125 mm. H 170 mm.

 E27x1  
 Sand black trim/ Black inside

**IP 20**

 Fixed  
Matt silver reflector








## HEX-MWW

650.-

DIA 145x145 mm. H 225 mm.

 E27x1  
 Sand white trim/ White inside

**IP 20**

 Fixed  
Matt silver reflector


## HEX-MWB

700.-

DIA 145x145 mm. H 225 mm.

 E27x1  
 Sand white trim/ Black inside

**IP 20**



 Fixed  
Matt silver reflector



## HEX-MBB

650.-

DIA 145x145 mm. H 225 mm.

 E27x1  
 Sand black trim/ Black inside

**IP 20**

 Fixed  
Matt silver reflector



## HEX-SWW2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2



Sand white trim/ White inside

**IP 20**



Adjustable

Matt silver reflector

## HEX-SBB2

1150.-

DIA 125x255 mm. H 170 mm.



E27x2



Sand black trim/ Black inside

**IP 20**



Adjustable

Matt silver reflector





## HEX-MWW2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2



Sand white trim/ White inside

IP 20



Fixed

Matt silver reflector

## HEX-MBB2

1350.-

DIA 145x285 mm. H 225 mm.



E27x2



Sand black trim/ Black inside

IP 20



Fixed

Matt silver reflector






## LUXX-SWW

550.-

DIA 135 mm. H 170 mm.

 E27x1  
 Sand white trim/ White inside

**IP 20**

 Fixed  
Matt silver reflector


## LUXX-SWB

600.-

DIA 135 mm. H 170 mm.

 E27x1  
 Sand white trim/ Black inside

**IP 20**



 Fixed  
Matt silver reflector




## LUXX-SBB

550.-

DIA 135 mm. H 170 mm.

 E27x1  
 Sand black trim/ Black inside

**IP 20**

 Fixed  
Matt silver reflector



## LUXX-MWW

650.-

DIA 155 mm. H 220 mm.

E27x1  
Sand white trim/ White inside

IP 20

Fixed  
Matt silver reflector

## LUXX-MWB

700.-

DIA 155 mm. H 220 mm.

E27x1  
Sand white trim/ Black inside

IP 20

Fixed  
Matt silver reflector



## LUXX-MBB

650.-

DIA 155 mm. H 220 mm.

E27x1  
Sand black trim/ Black inside

IP 20



Fixed  
Matt silver reflector



## COSMO-S

450.-

DIA 103 mm. H 145 mm.

 E27x1  
 Sand white trim



**IP 20**

 Fixed  
Matt silver reflector


## COSMO-M

550.-

DIA 140 mm. H 155 mm.

 E27x1  
 Sand white trim

**IP 20**



 Fixed  
Matt silver reflector




## COSMO-L

650.-

DIA 170 mm. H 180 mm.

 E27x1  
 Sand white trim

**IP 20**


 Fixed  
Matt silver reflector




## DUFF-S1

400.-

DIA 128x128 mm. H 162 mm.

 E27x1  
Sand white trim


**IP 20**

 Fixed  
Shiny silver reflector


## DUFF-S2

700.-

DIA 128x237 mm. H 162 mm.

 E27x2  
Sand white trim

**IP 20**

 Fixed  
Shiny silver reflector





DOWNLIGHT




## TEDD-R

450.-

DIA 137 mm. H 160-190 mm.

 E27x1  
 Matt white trim



**IP 20**

 Fixed  
Matt white reflector


## TEDD-S

600.-

DIA 133x133 mm. H 165-195 mm.

 E27x1  
 Matt white trim

**IP 20**

 Fixed  
Matt white reflector



DOWNLIGHT







## **DOME-MG**

**700.-**

DIA 150 mm. H 190 mm.

 E27x1  
 Sand white trim



**IP 44**

 Fixed  
Matt silver reflector  
Frosted glass cover

## **DOME-LG**

**800.-**

DIA 175 mm. H 220 mm.

 E27x1  
 Sand white trim

**IP 44**

 Fixed  
Matt silver reflector  
Frosted glass cover





DOWNLIGHT




## VELL-S

700.-

DIA 125x125 mm. H 175 mm.

 E27x1  
 Sand white trim



**IP 44**

 Fixed  
Frosted glass cover

## VELL-M

950.-

DIA 160x160 mm. H 175 mm.

 E27x1  
 Sand white trim

**IP 44**

 Fixed  
Frosted glass cover





DOWNLIGHT




## **DOME-M**

**150.-**

DIA 146 mm. H 140 mm.

 E27x1  
 Sand white trim



**IP 20**

 Fixed  
Shiny silver reflector


## **DOME-L**

**200.-**

DIA 177 mm. H 150 mm.

 E27x1  
 Sand white trim

**IP 20**

 Fixed  
Shiny silver reflector



A 4x5 grid of squares with a blue-to-white gradient. The top row is the lightest blue, and the bottom row is the darkest blue. The text is located in the bottom row of the grid.


***SURFACE MOUNTED  
DOWNLIGHT***




## CORE-R

900.-

DIA 96 mm. H 125 mm.

 GU10x1  
Sand white/ Sand black


**IP 20**

 Adjustable  
Accessories : Sling Hanging Wire Kit


## CORE-S

900.-

DIA 96x96 mm. H 125 mm.

 GU10x1  
Sand white/ Sand black

**IP 20**

 Adjustable  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



## MODE-RS

600.-

DIA 80 mm. H 95 mm.



GU10x1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit

## MODE-SS

600.-

DIA 82.5x82.5 mm. H 95 mm.



GU10x1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



## MODE-RM

750.-

DIA 96 mm. H 127 mm.



PAR20x1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit

## MODE-SM

750.-

DIA 100x100 mm. H 130 mm.



PAR20x1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



## MODE-RL

850.-

DIA 115 mm. H 137 mm.



PAR30Sx1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit

## MODE-SL

850.-

DIA 120x120 mm. H 137 mm.



PAR30Sx1  
Sand white/ Sand black

IP 20



Fixed  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT





## MODE-RXL

1150.-

DIA 145 mm. H 175 mm.



PAR30L/ PAR38x1  
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit

## MODE-SXL

1150.-

DIA 145x145 mm. H 175 mm.



PAR30L/ PAR38x1  
Sand white/ Sand black

IP 20



Fixed

Accessories : Sling Hanging Wire Kit



DOWNLIGHT



### CASE-S1 MR16

700.-

DIA 100x100 mm. H 115 mm.



MR16x1  
Matt white/ Matt black

IP 20



Adjustable  
Pull-out head  
Accessories : Sling Hanging Wire Kit

### CASE-S2 MR16

1250.-

DIA 100x200 mm. H 115 mm.



MR16x2  
Matt white/ Matt black

IP 20



Adjustable  
Pull-out head  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



### CASE-L1 AR111

1000.-

DIA 145×145 mm. H 160 mm.



AR111x1  
Sand white/ Sand black

IP 20



Adjustable  
Pull-out head  
Accessories : Sling Hanging Wire Kit

### CASE-L2 AR111

1850.-

DIA 145×278 mm. H 160 mm.



AR111x2  
Sand white/ Sand black

IP 20



Adjustable  
Pull-out head  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



### CASE-PR1 PAR30

1200.-

DIA 155×155 mm. H 200 mm.



PAR30S/ PAR30Lx1  
Sand white/ Sand black

IP 20



Adjustable  
Accessories : Sling Hanging Wire Kit

### CASE-PR2 PAR30

2000.-

DIA 155×320 mm. H 200 mm.



PAR30S/ PAR30Lx2  
Sand white/ Sand black

IP 20



Adjustable  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



### CASE-S1 E27

800.-

DIA 120×120 mm. H 180 mm.



E27x1  
Sand white/ Sand black

IP 20



Adjustable  
Accessories : Sling Hanging Wire Kit

### CASE-S2 E27

1500.-

DIA 120×260 mm. H 180 mm.



E27x2  
Sand white/ Sand black

IP 20



Adjustable  
Accessories : Sling Hanging Wire Kit



DOWNLIGHT



### CASE-L1 E27

1000.-

DIA 120×120 mm. H 180 mm.



E27x1



Sand white/ Sand black

IP 20



Adjustable

Accessories : Sling Hanging Wire Kit

### CASE-L2 E27

1850.-

DIA 120×260 mm. H 180 mm.



E27x2



Sand white/ Sand black

IP 20



Adjustable

Accessories : Sling Hanging Wire Kit



DOWNLIGHT



## NORI

1500.-

DIA 85 mm. H 70 mm.



**LED COB 10W 890lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Adjustable

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

## REEL

2400.-

DIA 115 mm. H 135 mm.



**LED COB 20W 1890lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



## JAZZ

800.-

DIA 70 mm. H 55 mm.



**LED COB 7W 550lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim

## MOON

1000.-

DIA 140 mm. H 75 mm.



**LED SMD 15W 1312lm**

3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Accessories : Sling Hanging Wire Kit

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



## BENITO-M

1500.-

DIA 33x60 mm. L 270 mm.




**LED SMD 10W 890lm**

3000K, 4000K  
Matt white/ matt black

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim



## BENITO-L

2500.-

DIA 33x60 mm. L 535 mm.




**LED SMD 20W 1780lm**

3000K, 4000K  
Matt white/ matt black

**IP 20**



Fixed  
Aluminium Body  
Driver included  
Non-Dim



DOWNLIGHT

## BETINI-M

1500.-

DIA 33x60 mm. L 270 mm.



**LED COB 10x1W 890lm**



3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim



## BETINI-L

2500.-

DIA 33x60 mm. L 535 mm.



**LED COB 20x1W 1780lm**



3000K, 4000K

Matt white/ matt black

**IP 20**



Fixed

Aluminium Body

Driver included

Non-Dim



DOWNLIGHT



## ADEN-S

2000.-

DIA 37x135 mm. H 60 mm.



**LED COB 5x2W 800lm**  
3000K, 4000K  
Matt black

24°

IP 20

- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim

## ADEN-M

3000.-

DIA 37x270 mm. H 60 mm.



**LED COB 10x2W 1600lm**  
3000K, 4000K  
Matt black

24°

IP 20

- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim



## ADEN-L

4000.-

DIA 37x405 mm. H 60 mm.



**LED COB 15x2W 2400lm**  
3000K, 4000K  
Matt black

24°

IP 20

- Surface mounted type  
Adjustable 1 side  
Aluminium Body  
Driver included  
Non-Dim



DOWNLIGHT