

A 5x4 grid of squares. The top row consists of four squares with a light blue to white gradient. The second row consists of four squares with a light blue to white gradient. The third row consists of four squares with a medium blue to white gradient. The fourth row consists of four squares with a medium blue to white gradient. The bottom row consists of four squares with a dark blue to white gradient. The text "STEP LIGHT" is written in white, bold, italicized font in the bottom right corner of the grid.



STEP LIGHT




STEP-OA

1200.-

DIA 110x110 mm. D 100 mm.

 G4x1 Max. 50W
 Sand black



IP 55

-  Recessed type
- Black
- Frosted glass cover
- Aluminium body
- Box installation included


STEP-OB

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W
 Sand black

IP 55



-  Recessed type
- Black
- Aluminium body
- Box installation included




STEP-OC

1200.-

DIA 110x110 mm. D 102 mm.

 G4x1 Max. 50W
 Sand black

IP 55

-  Recessed type
- Black
- Aluminium body
- Box installation included



STEP LIGHT




STEP-OD

1500.-

DIA 86 mm. D 55 mm.

 **LED 3W 190lm**
 3000K



IP 54

-  Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included


STEP-OE

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**
 3000K

IP 54



-  Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included




STEP-OF

1500.-

DIA 87x87 mm. D 55 mm.

 **LED 3W 190lm**
 3000K

IP 54

-  Recessed type
- Black/ White
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OK

1500.-

DIA 72x147 mm. D 55 mm.



LED 3W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OL

1500.-

DIA 75x170 mm. D 53 mm.



LED 5W 370lm




3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OM

1000.-

DIA 65 mm. D 50 mm.



LED 3W 115lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-ON

1000.-

DIA 65 mm. D 50 mm.



LED 3W 185lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP-OP

1000.-

DIA 65x65 mm. D 70 mm.



LED 3W 145lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



STEP-OS

2000.-

DIA 160x160 mm. D 63 mm.



LED 7W 475lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OT

1200.-

DIA 80x120 mm. D 50 mm.



LED 3W 200lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included





ROTTY-R

1050.-

DIA 80 mm. D 50 mm.



LED 3W 200lm



3000K

IP 54

- Recessed type
- Black/ Grey
- LED Driver Included
- Aluminium body
- Box installation included

ROTTY-S

1050.-

DIA 90x90 mm. D 55 mm.



LED 2W 135lm



3000K

IP 65

- Recessed type
- Black/ Grey
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



REEN

1000.-

DIA 85x85 mm. D 53 mm.



LED 2W 200lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

HASSEL

2000.-

DIA 50x130 mm. D 60 mm.



LED 5W 350lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



SHAY

1200.-

DIA 44x100 mm. D 44 mm.



LED 2W 175lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

STEP-OJ

1000.-

DIA 60x105 mm. D 55 mm.



LED 3W 200lm


3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT



GALLY-R

1000.-

DIA 110 mm. D 26 mm.



LED 2W 120lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body

GALLY-S

1000.-

DIA 100x100 mm. D 26 mm.



LED 2W 120lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



STEP LIGHT



GALLY-SL

1200.-

DIA 60x150 mm. D 28 mm.



LED 3W 185lm

3000K

IP 54

- Surface mounted type
Black/ Grey
LED Driver Included
Aluminium body



STEP-R

1500.-

DIA 110 mm. D 25 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

STEP-S

1500.-

DIA 105x105 mm. D 24 mm.



LED 4W 160lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



MONA-R

1200.-

DIA 95 mm. D 18 mm.



LED 3W 225lm

3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body

MONA-S

1200.-

DIA 90x90 mm. D 18 mm.



LED 3W 225lm

3000K

IP 65

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



HANA-A

1200.-

DIA 125x125 mm. D 27 mm.



LED 3W 250lm

3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-B

1200.-

DIA 125x125 mm. D 27 mm.



LED 1.5W 145lm

3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



HANA-C

1200.-

DIA 80x230 mm. D 27 mm.



LED 1W 85lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body

HANA-D

1800.-

DIA 230x80 mm. D 27 mm.



LED 3W 180lm



3000K

IP 54

- Surface mounted type
- Dark grey
- LED Driver Included
- ABS body



STEP LIGHT



JENNY

2000.-

DIA 115x115 mm. D 60 mm.



LED 2x2W 200lm



3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

LINA

2000.-

DIA 75x192 mm. H 97 mm.




LED 5W 350lm



3000K

IP 54

- Surface mounted type
- Black
- LED Driver Included
- Aluminium body



STEP LIGHT



GLATO


2000.-

DIA 102x180 mm. D 92 mm.

1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Black
- Aluminium body
- PC diffuser



GLENN


1350.-

DIA 68x140 mm. D 69 mm.

1x GU10 MAX. 50W

IP 54

- Surface mounted type
- Black
- Aluminium body
- Clear glass cover



STEP LIGHT



ARINA-A

2000.-

DIA 82x192 D 94 mm.



LED 10W 650lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included

ARINA-B

2000.-

DIA 82x192 mm. D 101 mm.




LED 10W 650lm

3000K

IP 65

- Recessed type
- Black
- LED Driver Included
- Aluminium body
- Box installation included



STEP LIGHT