

A 5x4 grid of squares. The top row is lightest, transitioning to a dark blue at the bottom. The text 'BOLLARD LIGHT' is written in white, bold, italicized font at the bottom of the grid.

BOLLARD LIGHT





DALLTON-RS

2000.-

DIA 90 mm. H 200 mm.

 **LED 6W 490lm**

 3000K 

- Black
LED Driver Included
Aluminium body

DALLTON-RM

4000.-

DIA 90 mm. H 650 mm.

 **LED 6W 550lm**

 3000K 

- Black
LED Driver Included
Aluminium body





DALLTON-RL

4400.-

DIA 108 mm. H 600 mm.

 **LED 10W 955lm**

 3000K 

- Black
LED Driver Included
Aluminium body

BOLLARD LIGHT





DALLTON-S

2000.-

DIA 105x105 mm. H 195 mm.



LED 6W 490lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DALLTON-M

4400.-

DIA 105x105 mm. H 600 mm.



LED 10W 890lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



DAVE

4950.-

DIA 80x120 mm. H 650 mm.



LED 6W 267lm



3000K

IP 54



Black

LED Driver Included
Aluminium body

MANCO

4400.-

DIA 71x131 mm. H 650 mm.



LED 3x3W 645lm



3000K

IP 54



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



STAND-1

4500.-

DIA 100x135 mm. H 650 mm.



LED 7W 560lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

STAND-2

5500.-

DIA 100x235 mm. H 650 mm.



LED 2x7W 1120lm



3000K

IP 65



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



DAREN

4250.-

DIA 48x150 mm. H 600 mm.



LED 5W 160lm



3000K

IP 55



Black
LED Driver Included
Aluminium body

DAYSON

5000.-

DIA 140 mm. H 600 mm.



LED 7.2W 780lm



3000K

IP 65



Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



LOOP

5000.-

DIA 53x160 mm. H 600 mm.



LED 10W 740lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

LAREN

4500.-

DIA 45x120 mm. H 650 mm.

LED 7W 290lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ROBBY

5350.-

DIA 80x120 mm. H 650 mm.



LED 10W 515lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HELEN

5150.-

DIA 55x160 mm. H 600 mm.



LED 6W 465lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ESTER

4950.-

DIA 120x120 mm. H 600 mm.



LED 10W 655lm

3000K

IP 54

- Black
LED Driver Included
Aluminium body

DILAN

6000.-

DIA 118 mm. H 800 mm.



LED 10W 626lm

3000K

IP 65

- Black
LED Driver Included
Aluminium body



BOLLARD LIGHT



KORO-S

3950.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included

Aluminium body

KORO-M

5500.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



RAPPER-S

3500.-

DIA 180x180 mm. H 275 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body

RAPPER-M

5000.-

DIA 180x180 mm. H 800 mm.



LED 12W 936lm

3000K

IP 54

- Black
- LED Driver Included
- Aluminium body



BOLLARD LIGHT



DELTA

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

DEEGAN

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



DECON

4800.-

DIA 130x130 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DELCO

4400.-

DIA 140 mm. H 1000 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



DAGON-S

2500.-

DIA 100x100 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DAGON-R

2500.-

DIA 110 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



MONO

5000.-

DIA 45x100 mm. H 750 mm.



LED 12W 640lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

GIGA

3500.-

DIA 70x150 mm. H 800 mm.



1x GU10 Max. 50W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



MIGA

4950.-

DIA 120 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

POLY-S

3500.-

DIA 120 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-FS

4000.-

DIA 145x145 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser

CARLA-FR

4000.-

DIA 160 mm. H 650 mm.



1x E27 Max. 60W

IP 54

- Black
- Aluminium body
- PC Diffuser



BOLLARD LIGHT



LEON-R

1800.-

DIA 85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-S

1800.-

DIA 85x85 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CONE

4000.-

DIA 158 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LISA

3000.-

DIA 120x150 mm. H 600 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



MAY

5000.-

DIA 55x160 mm. H 600 mm.



LED 7W 620lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

JIRO

5150.-

DIA 80x120 mm. H 650 mm.



LED 10W 755lm



3000K

IP 65




Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



JEDI

4500.-

DIA 95x150 mm. H 700 mm.



LED 12W 470lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

MARON

5200.-

DIA 120 mm. H 600 mm.



LED 12W 455lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



TON

5000.-

DIA 160 mm. H 650 mm.



LED 10W 447lm



3000K

IP 65



Black
LED Driver Included
Aluminium body

ELVA

4000.-

DIA 120 mm. H 1200 mm.



2x T8 Max. 60W

IP 65



Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



ARDEN-R

4150.-

DIA 90 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

ARDEN-S

4150.-

DIA 85x85 mm. H 650 mm.



LED 9W 455lm



3000K

IP 65



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



CURVE

4000.-

DIA 120 mm. H 650 mm.



LED 10W 348lm



3000K

IP 65



Black

LED Driver Included
Aluminium body

PRAYA

5000.-

DIA 146 mm. H 600 mm.



LED 8W 780lm



3000K

IP 65



Black

Aluminium body
PC Diffuser



BOLLARD LIGHT



MARCA

5000.-

DIA 120 mm. H 630 mm.



LED 7.2W 626lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

DONE

3500.-

DIA 65x390 mm. H 800 mm.



1x E27 Max. 60W

IP 54



Black

Aluminium body

PC Diffuser



BOLLARD LIGHT



CHER

3500.-

DIA 30 mm. H 600 mm.



LED 5W 450lm



3000K

IP 54



Black

LED Driver Included
Aluminium body

JAY

3500.-

DIA 70x120 mm. H 300 mm.



LED 7W 520lm



3000K

IP 54



Black

LED Driver Included
Aluminium body



BOLLARD LIGHT



HOME-S

2500.-

DIA 178 mm. H 510 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

HOME-M

2750.-

DIA 178 mm. H 790 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



FLAME-S

2500.-

DIA 240 mm. H 520 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

FLAME-M

2750.-

DIA 240 mm. H 780 mm.



LED 12W 936lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



ZELL-FR

4250.-

DIA 160 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

ZELL-FS

4250.-

DIA 145x145 mm. H 500 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



DEVIN-S

2100.-

DIA 160x160 mm. H 190 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

DEVIN-M

2800.-

DIA 220x220 mm. H 270 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



CARLA-S

2200.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

CARLA-R

2200.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



SAMMY-S

2500.-

DIA 170x170 mm. H 210 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

SAMMY-M

3000.-

DIA 227x227 mm. H 255 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



RINA-R

3000.-

DIA 150 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54



Black

LED Driver Included

Aluminium body

RINA-S

3000.-

DIA 156x156 mm. H 140 mm.



LED 7W 392lm



3000K

IP 54



Black

LED Driver Included

Aluminium body



BOLLARD LIGHT



PARRY

2800.-

DIA 130 mm. H 170 mm.



LED 12W 570lm



3000K

IP 65

- Black
LED Driver Included
Aluminium body

LORA

2150.-

DIA 194x194 mm. H 265 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



GAMMA

1500.-

DIA 120x120 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

BOLLARD LIGHT



LEON-XR

1500.-

DIA 85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

LEON-XS

1500.-

DIA 85x85 mm. H 300 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



ZELL-BR

2750.-

DIA 160 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser

ZELL-BS

2750.-

DIA 145x145 mm. H 220 mm.



1x E27 Max. 60W

IP 54

- Black
Aluminium body
PC Diffuser



BOLLARD LIGHT



SEVEN

27500.-

DIA 80x120x800 mm. H 3000 mm.



LED 30W 2717lm



3000K

IP 65



Black

LED Driver Included

Aluminium body

J-bolt included

STAR

18500.-

DIA 365 mm. H 2500 mm.



LED 30W 2087lm



3000K

IP 65



Black

Aluminium body

PC Diffuser

J-bolt included



BOLLARD LIGHT



ZINO-R

22500.-

DIA 160 mm. H 3000 mm.



LED 25W 2025lm

3000K

IP 65

- Black
LED Driver Included
Aluminium body
J-bolt included

RANCE

21000.-

DIA 160 mm. H 3000 mm.



3x T8 Max. 100W

IP 65

- Black
Aluminium body
PC Diffuser
J-bolt included



BOLLARD LIGHT