


A 4x4 grid of squares. The top row is white, the second row is light blue, the third row is medium blue, and the bottom row is dark blue. The text 'FLUORESCENT LIGHT' is written in white, bold, italicized capital letters in the bottom right corner of the grid.

***FLUORESCENT
LIGHT***



OFFO-P

3000.-

DIA 55x85 mm. L 1250 mm.



LED T8x1

Matt white, Matt silver, Matt black

IP 20



Aluminium body

Acrylic diffuser

1.5m. Sling

OFFO-2P

5600.-

DIA 85x140 mm. L 1250 mm.



LED T8x2

Matt white, Matt silver, Matt black


IP 20




Aluminium body

Acrylic diffuser

1.5m. Sling





BLADE-A

4500.-

DIA 33x60 mm. L 1200 mm.



LED 40W 3200lm



3000K, 4000K

Matt white/ Matt black

IP 20



Aluminium body
1.5m. Sling

BLADE-B

4500.-

DIA 33x60 mm. L 1200 mm.



LED 40W 3200lm




4000K, 6500K

Matt white/ Matt black

IP 20



Aluminium body
Acrylic diffuser
1.5m. Sling



BLADE-C

4500.-

DIA 33x60 mm. L 1200 mm.



LED 20W + 20W 3200lm



4000K

Matt white/ Matt black

IP 20



Aluminium body
Acrylic diffuser
1.5m. Sling

FLUORESCENT LIGHT

TUBE


3600.-

DIA 60 mm. L 1220 mm.

- LED T8x1
- Matt silver end cap

IP 20

- Aluminium body
- Acrylic diffuser
- 2m. Sling



JELLY

2500.-

DIA 22x53 mm. L 1200 mm.

- LED 30W 2400lm
- 4000K, 6500K
- Matt black

IP 20

- PC body
- Acrylic diffuser
- 1.5m. Sling





NORD

6500.-

DIA 45x45 mm. L 1000 mm.



LED SMD 40W 2950lm



4000K

Matt black

IP 20




Aluminium body

1.5m. Sling

Accessories : Honeycomb, Frosted glass

Clear glass



RECTA

3000.-

DIA 200x1200 mm. H 60 mm.



LED SMD 48W 3600lm



4000K, 6500K

Matt black trim

IP 20



Metal body

Acrylic diffuser

1.5m. Sling


FLUORESCENT LIGHT




OFFO-RPC

3000.-

DIA 90x85 mm. L 1257 mm.

 LED T8x1
 Matt white trim

IP 20

 Aluminium body
Acrylic diffuser


OFFO-SPC

3000.-

DIA 55x85 mm. L 1250 mm.

 LED T8x1
 Matt white, Matt silver, Matt black

IP 20

 Aluminium body
Acrylic diffuser






OFFO-RLV

3200.-

DIA 90x85 mm. L 1257 mm.

 LED T8x1
Matt white trim

IP 20

 Aluminium body
Mirror anodized aluminum louver


OFFO-SLV

3200.-

DIA 68x90 mm. L 1245 mm.

 LED T8x1
Matt silver

IP 20

 Aluminium body
Mirror anodized aluminum louver





NEO-RPC

Recessed acrylic diffuser luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.

NEO-SPC

Surface mounted acrylic diffuser luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.





NEO-RLV

Recessed louver luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.

NEO-SLV

Surface mounted louver luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.





CURVE-1

Recessed indirect light luminaire

T8 2x18W Size : 60x60 cm.

T8 2x36W Size : 60x120 cm.

CURVE-2

Recessed indirect light luminaire

T8 2x18W Size : 60x60 cm.

T8 2x36W Size : 60x120 cm.





U-TYPE

U-type acrylic diffuser luminaire

- T8 1x18W Size : W70xH100xL636 mm.
- T8 2x18W Size : W210xH75xL636 mm.
- T8 1x36W Size : W70xH100xL1245 mm.
- T8 2x36W Size : W210xH75xL1245 mm.

WEATHER PROOF

Weather proof luminaire

- T8 1x18W Size : W110xH108xL670 mm.
- T8 2x18W Size : W170xH108xL670 mm.
- T8 1x36W Size : W110xH108xL1270 mm.
- T8 2x36W Size : W170xH108xL1270 mm.





CLEAN ROOM

Recessed clean room luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.

CLEAN ROOM

Surface mounted clean room luminaire

- T8 2x18W Size : 30x60 cm.
- T8 2x18W Size : 60x60 cm.
- T8 3x18W Size : 60x60 cm.
- T8 4x18W Size : 60x60 cm.
- T8 2x36W Size : 30x120 cm.
- T8 2x36W Size : 60x120 cm.
- T8 3x36W Size : 60x120 cm.
- T8 4x36W Size : 60x120 cm.





COLD ROOM

Cold room luminaire

- T8 1x18W Size : W120xH115xL705 mm.
- T8 2x18W Size : W190xH115xL705 mm.
- T8 1x36W Size : W120xH115xL1315 mm.
- T8 2x36W Size : W190xH115xL1315 mm.

WIRE GUARD

Wire guard batten type luminaire

- T8 1x18W Size : W64xH112xL636 mm.
- T8 2x18W Size : W124xH112xL636 mm.
- T8 1x36W Size : W64xH112xL1245 mm.
- T8 2x36W Size : W124xH112xL1245mm.





T5 SET

LED T5 SET 3000K, 4000K, 6500K

3.4W Size : 21x32xL325 mm.

6.5W Size : 21x32xL585 mm.

9W Size : 21x32xL885 mm.

13W Size : 21x32xL1185 mm.

T8 SET

LED T8 SET 3000K, 4000K, 6500K

T8 1x9W Size : 30x50xL615 mm.

T8 1x18W Size : 30x50xL1225 mm.





TAPER

Taper batten type luminaire

T8 1x18W Size : W155xH115xL636 mm.

T8 2x18W Size : W155xH90xL636 mm.

T8 1x36W Size : W155xH115xL1245 mm.

T8 2x36W Size : W155xH90xL1245 mm.

INDUSTRIAL

Industrial type luminaire

T8 1x18W Size : W135xH101xL636 mm.

T8 2x18W Size : W230xH101xL636 mm.

T8 1x36W Size : W135xH101xL1245 mm.

T8 2x36W Size : W230xH101xL1245 mm.

